




**ROOF PLAN**  
SCALE: 1/8" = 1'-0"  
NORTH




**41 PLAN DETAIL @ EXHAUST EQUIPMENT**  
SCALE: 1/4" = 1'-0"



**42 ROOF DRAIN DETAIL PLAN**  
SCALE: 1/4" = 1'-0"



**43 ROOF HATCH**  
SCALE: 1/4" = 1'-0"



**44 CANOPY @ ELEC./RISER ROOMS**  
SCALE: 1/4" = 1'-0"

EXTERIOR MATERIALS LEGEND	
MATERIAL CODE	DESCRIPTION
03 11 00	CONCRETE FORMING
TB	CONCRETE TIE BEAM (RE: STRUCT)
TC	CONCRETE TIE COLUMN (RE: STRUCT)
03 30 00 CAST-IN-PLACE CONCRETE	
CON-1	CONCRETE, SLAB-ON-GRADE
CON-2	CONCRETE, SLAB ON METAL DECK
04 22 00 CONCRETE UNIT MASONRY	
CMU-1	8" CONCRETE MASONRY UNIT
05 31 00 STEEL DECKING	
MRD-1	1 1/2" METAL ROOF DECK
05 40 00 COLD-FORMED METAL FRAMING	
MTL-1	7/8" MTL. FURRING HAT CHANNEL
MTL-2	2 1/2" COLD-FORMED METAL FRAMING
MTL-3	3 5/8" COLD-FORMED METAL FRAMING
MTL-6	6" COLD-FORMED METAL FRAMING

EXTERIOR MATERIALS LEGEND	
MATERIAL CODE	DESCRIPTION
05 50 00 METAL FABRICATIONS	
ALUM-4	ALUMINUM STAIR RAILINGS
ALUM-5	ALUMINUM CANOPY
DS	DOWNSPOUT
05 77 00 DECORATIVE EXTRUDED METAL	
MP01	FACTORY FINISHED METAL PANEL
MP02	FACTORY FINISHED METAL PANEL
07 10 00 DAMPPROOFING AND WATERPROOFING	
VB	VAPOR BARRIER
VM	VAPOR MEMBRANE
07 21 00 THERMAL INSULATION	
RI-1	1" RIGID INSULATION
RI-2	2" RIGID INSULATION
RI-6	6" RIGID INSULATION
07 48 00 RAINSCREEN ATTACHMENT SYSTEM	
MTL-4	2" METAL RAIL SYSTEM

EXTERIOR MATERIALS LEGEND	
MATERIAL CODE	DESCRIPTION
07 52 00 MODIFIED BITUMINOUS MEMBRANE ROOFING	
RF-1	MOD. BIT. ROOF SYSTEM
RF-2	MOD. BIT. ROOF SYSTEM
07 60 00 FLASHING AND SHEET METAL	
MTL-5	METAL COPING
08 11 00 METAL DOORS AND FRAMES	
HMF	HOLLOW METAL DOORS & FRAME (RE: DOOR SCHED)
08 40 00 ENTRANCES STOREFRONTS AND CURTAINWALLS	
ALUM-1	ALUMINUM STOREFRONT SYSTEM
ALUM-3	ALUMINUM FRAMED ENTRANCES
08 91 00 LOUVERS	
LOU-1	FIXED LOUVER
LOU-2	FIXED LOUVER
09 24 00 CEMENT PLASTERING	
CP01	CEMENT PLASTER

EXTERIOR MATERIALS LEGEND	
MATERIAL CODE	DESCRIPTION
09 29 00 GYPSUM BOARD	
GSB	GYPSUM SHEATHING
GSB	GYPSUM BOARD
09 51 13 ACOUSTICAL PANEL CEILINGS	
APC	SUSP. CEILING SYSTEM (SEE RCP'S)
09 54 23 LINEAR METAL CEILING SYSTEMS	
MC01	LINEAR METAL CEILING SYSTEMS
09 84 47 MODULAR METAL WALL SYSTEM	
MC02	LINEAR METAL WALL SYSTEM

ROOF PLAN LEGEND	
	RF-1 MODIFIED BITUMEN ROOF MEMBRANE
	RF-2 MODIFIED BITUMEN ROOF MEMBRANE
	ALUMINUM CANOPY
	WALKWAY PADS
ROOF TYPES	
	RF-1
	RF-2

**ROOF PLAN GENERAL NOTES:**

A. ROOF PLAN NOTES APPLY TO ALL ROOF PLAN SHEETS.

B. MOST ROOF SLOPES ARE CREATED BY SLOPING THE ROOF STRUCTURE. SEE STRUCTURAL DRAWINGS FOR ELEVATIONS OF THE HIGH AND LOW POINTS TO DETERMINE PROPER TAPER IN INSULATION. SHADED AREAS INDICATE TAPERED INSULATION. TAPERED INSULATION SHALL PROVIDE A MINIMUM OF 1/4-INCH PER FOOT OF SLOPE TO ROOF DRAINS, UNLESS NOTED OTHERWISE.

C. ALL ROOF CURBS TO BE A MINIMUM OF 12" ABOVE ROOFING LEVELS. PROVIDE TAPERED INSULATION ROOF SADDLES AT ROOF CURBS TO PROVIDE APPROPRIATE DRAINAGE.

D. SEE STRUCTURAL FOR FRAMING AROUND ROOF PENETRATIONS.

E. COORDINATE THE SIZE AND LOCATION OF ROOF PENETRATIONS FOR MECHANICAL AND ELECTRICAL EQUIPMENT. REFER TO MECHANICAL AND ELECTRICAL DRAWINGS FOR PENETRATIONS NOT SHOWN ON THIS SHEET.

F. FLASH DRAINS, CURBS, VENTS AND STACKS PER MANUFACTURER'S RECOMMENDATIONS IF DETAIL NOT SHOWN ON PLANS.

LEGEND NOTES	
	CANOPY DOWNSPOUT
	ALUMINUM CANOPY SYSTEM BY SPECIALTY ENGINEER. SEE STRUCTURAL.
	CONTINUOUS, ROOF PARAPET PRE-FINISHED METAL COPING
	30" X 54" SHIP LADDER ROOF ACCESS HATCH
	MAIN ROOF DRAIN
	OVERFLOW ROOF DRAIN
	CRICKET, SLOPE TO DRAINS
	CONTINUOUS ROOF PARAPET FASCIA SYSTEM
	DELETED
	ROOF MOUNTED MECHANICAL EQUIPMENT
	ROOF MOUNTED MECHANICAL EXHAUST


**KEY PLAN**





DOOR AND FRAME SCHEDULE															DETAILS				COMMENTS
LEVEL	NUMBER	NO. OF PANELS	WIDTH	HEIGHT	THICKNESS	MATERIAL	GLAZING	TYPE	DEPTH	MATERIAL	GLAZING	TYPE	FIRE RATING	HARDWARE SET	HEAD	JAMB LEFT	JAMB RIGHT	SILL	
LEVEL 01	101	1	3'-0"	7'-0"	1 3/4"	WD		F	8 1/4"	HM	CFRG	2	45 MIN.	15.0	32/A9.3	32/A9.3	32/A9.3	32/A9.3	CARD READER
LEVEL 01	105	1	3'-0"	7'-0"	1 3/4"	WD	CFRG	N	8 1/4"	HM		1	45 MIN.	15.0	32/A9.3	32/A9.3	32/A9.3	32/A9.3	CARD READER
LEVEL 01	105A	1	4'-0"	7'-0"	1 3/4"	WD	CFRG	N	5 3/4"	HM		1	45 MIN.	16.0	32/A9.3	32/A9.3	32/A9.3	32/A9.3	CARD READER
LEVEL 01	106	1	3'-0"	7'-0"	1 3/4"	WD		F	5 3/4"	HM		1	21.0		32/A9.3	32/A9.3	32/A9.3	32/A9.3	CARD READER
LEVEL 01	108	1	3'-0"	7'-0"	1 3/4"	WD		F	5 3/4"	HM		1	45 MIN.	22.0		32/A9.3	32/A9.3	32/A9.3	CARD READER
LEVEL 01	108A	1	6'-0"	7'-0"	1 3/4"	WD		F	5 3/4"	HM		1	45 MIN.	28.0		32/A9.3	32/A9.3	32/A9.3	CARD READER
LEVEL 01	108B	1	3'-0"	7'-0"	1 3/4"	WD		F	5 3/4"	HM		1	45 MIN.	22.0		32/A9.3	32/A9.3	32/A9.3	CARD READER
LEVEL 01	109	1	3'-0"	7'-0"	1 3/4"	WD	ADD02	CFRG	N	5 3/4"	HM	ADD02	1	45 MIN.	15.0	32/A9.3	32/A9.3	32/A9.3	CARD READER
LEVEL 01	109A	1	4'-0"	7'-0"	1 3/4"	WD	CFRG	N	8 1/4"	HM		1	16.0		32/A9.3	32/A9.3	32/A9.3	CARD READER	
LEVEL 01	110	1	3'-0"	7'-0"	1 3/4"	WD		F	5 3/4"	HM		1	21.0		31/A9.3	31/A9.3	31/A9.3	31/A9.3	CARD READER
LEVEL 01	111	2	3'-0"	7'-0"	1 3/4"	HM		F2	5 3/4"	HM		1	20.0		31/A9.3	31/A9.3	31/A9.3	31/A9.3	CARD READER
LEVEL 01	112	1	2'-8"	7'-0"	1 3/4"	HM		F	5 3/4"	HM		1	18.0		31/A9.3	31/A9.3	31/A9.3	31/A9.3	CARD READER
LEVEL 01	120	2	3'-0"	7'-0"	1 3/4"	WD	CFRG	F	5 3/4"	HM	CFRG	6	45 MIN.	14.0	31/A9.3	31/A9.3	31/A9.3	31/A9.3	CARD READER
LEVEL 01	121	1	3'-0"	7'-0"	1 3/4"	WD		F	5 3/4"	HM	CFRG	2	45 MIN.	14.0	31/A9.3	31/A9.3	31/A9.3	31/A9.3	CARD READER
LEVEL 01	122	1	3'-0"	7'-0"	1 3/4"	WD		F	5 3/4"	HM	CFRG	2	45 MIN.	14.0	31/A9.3	31/A9.3	31/A9.3	31/A9.3	CARD READER
LEVEL 01	123	1	3'-0"	7'-0"	1 3/4"	WD		F	5 3/4"	HM	CTG	2	13.0		31/A9.3	31/A9.3	31/A9.3	31/A9.3	CARD READER
LEVEL 01	124	1	3'-0"	7'-0"	1 3/4"	WD		F	5 3/4"	HM	CTG	2	13.0		31/A9.3	31/A9.3	31/A9.3	31/A9.3	CARD READER
LEVEL 01	125	1	3'-0"	7'-0"	1 3/4"	WD		F	5 3/4"	HM	CTG	2	13.0		31/A9.3	31/A9.3	31/A9.3	31/A9.3	CARD READER
LEVEL 01	126	1	3'-0"	7'-0"	1 3/4"	WD		F	5 3/4"	HM	CTG	2	13.0		31/A9.3	31/A9.3	31/A9.3	31/A9.3	CARD READER
LEVEL 01	127	1	3'-0"	7'-0"	1 3/4"	WD		F	5 3/4"	HM		5	27.0		31/A9.3	31/A9.3	31/A9.3	31/A9.3	CARD READER
LEVEL 01	128	1	3'-0"	7'-0"	1 3/4"	WD		F	5 3/4"	HM		5	27.0		31/A9.3	31/A9.3	31/A9.3	31/A9.3	CARD READER
LEVEL 01	130	1	3'-0"	7'-0"	1 3/4"	WD		F	8 5/8"	HM		1	25.0		31/A9.3	31/A9.3	31/A9.3	31/A9.3	CARD READER
LEVEL 01	131	1	3'-0"	7'-0"	1 3/4"	WD		F	8 5/8"	HM		1	17.0		31/A9.3	31/A9.3	31/A9.3	31/A9.3	CARD READER
LEVEL 01	132	1	3'-0"	7'-0"	1 3/4"	WD		F	8 5/8"	HM		1	25.0		31/A9.3	31/A9.3	31/A9.3	31/A9.3	CARD READER
LEVEL 01	133	1	3'-0"	7'-0"	1 3/4"	WD		N	8 1/4"	HM	CTG	2	15.0		31/A9.3	31/A9.3	31/A9.3	31/A9.3	CARD READER
LEVEL 01	134	1	3'-0"	7'-0"	1 3/4"	WD		N	8 1/4"	HM	CTG	2	15.0		31/A9.3	31/A9.3	31/A9.3	31/A9.3	CARD READER
LEVEL 01	C100	1	3'-6"	8'-0"	1 3/4"	WD		F	5 3/4"	HM		1	45 MIN.	12.0	32/A9.3	32/A9.3	32/A9.3	32/A9.3	HOLD-OPEN
LEVEL 01	C101	2	3'-6"	7'-10"	1 3/4"	WD		F2	5 3/4"	HM		1	45 MIN.	11.0	32/A9.3	32/A9.3	32/A9.3	32/A9.3	HOLD-OPEN
LEVEL 01	E100	2	3'-11"	7'-0"	1 3/4"	GLASS	TTIG	FG-1	4 1/2"	ALUM		S22	1.0		21/A10.2	45/A10.3			CARD READER, ADA ACTUATOR
LEVEL 01	E101	2	3'-11"	7'-0"	1 3/4"	GLASS	TTIG	FG-1	4 1/2"	ALUM		S22	2.0		21/A10.2	45/A10.3			CARD READER
LEVEL 01	E102	1	3'-6"	7'-0"	1 3/4"	HM		F	5 3/4"	HM		3	5.0		33/A10.2	42/A10.1	42/A10.1	52/A10.3	CARD READER
LEVEL 01	E103	1	3'-0"	7'-0"	1 3/4"	HM		F	5 3/4"	HM		4	8.0		33/A10.2	42/A10.1	42/A10.1	52/A10.3	CARD READER
LEVEL 01	E110	2	3'-0"	7'-0"	1 3/4"	GLASS	TTIG	FG-1	4 1/2"	ALUM		S16	2.0		21/A10.2	41/A10.1	41/A10.1	32/A10.3	CARD READER
LEVEL 01	E113	2	3'-0"	7'-0"	1 3/4"	HM		F2	5 3/4"	HM		3	9.0		33/A10.2	42/A10.1	42/A10.1	52/A10.3	CARD READER
LEVEL 01	E120	2	2'-11"	7'-0"	1 3/4"	GLASS	TTIG	FG-1	4 1/2"	ALUM		S15	2.0		13/A10.2	25/A10.1	14/A10.1	53/A10.2	CARD READER
LEVEL 01: 35																			

DOOR AND FRAME SCHEDULE															DETAILS				COMMENTS
LEVEL	NUMBER	NO. OF PANELS	WIDTH	HEIGHT	THICKNESS	MATERIAL	GLAZING	TYPE	DEPTH	MATERIAL	GLAZING	TYPE	FIRE RATING	HARDWARE SET	HEAD	JAMB LEFT	JAMB RIGHT	SILL	
LEVEL 02	201	1	3'-0"	7'-0"	1 3/4"	WD		F	8 1/4"	HM	CFRG	2	45 MIN.	15.0	32/A9.3	32/A9.3	32/A9.3	32/A9.3	CARD READER
LEVEL 02	202	1	3'-0"	7'-0"	1 3/4"	WD		F	5 3/4"	HM		1	21.0		31/A9.3	31/A9.3	31/A9.3	31/A9.3	CARD READER
LEVEL 02	203	1	3'-0"	7'-0"	1 3/4"	WD		F	8 1/4"	HM		1	45 MIN.	19.0	32/A9.3	32/A9.3	32/A9.3	32/A9.3	CARD READER
LEVEL 02	204	1	3'-6"	7'-0"	1 3/4"	WD		F	5 3/4"	HM		1	23.0		31/A9.3	31/A9.3	31/A9.3	31/A9.3	CARD READER
LEVEL 02	205	1	3'-0"	7'-0"	1 3/4"	WD	CFRG	N	8 1/4"	HM		1	45 MIN.	15.0	32/A9.3	32/A9.3	32/A9.3	32/A9.3	CARD READER
LEVEL 02	205A	1	4'-0"	7'-0"	1 3/4"	WD	CFRG	N	8 1/4"	HM		1	45 MIN.	16.0	32/A9.3	32/A9.3	32/A9.3	32/A9.3	CARD READER
LEVEL 02	206A	1	4'-0"	7'-0"	1 3/4"	WD		F	5 3/4"	HM		1	23.0		31/A9.3	31/A9.3	31/A9.3	31/A9.3	CARD READER
LEVEL 02	206B	1	3'-0"	7'-0"	1 3/4"	WD		F	5 3/4"	HM		1	21.0		31/A9.3	31/A9.3	31/A9.3	31/A9.3	CARD READER
LEVEL 02	207	1	3'-6"	7'-0"	1 3/4"	WD		F	8 1/4"	HM		1	45 MIN.	23.0	32/A9.3	32/A9.3	32/A9.3	32/A9.3	CARD READER
LEVEL 02	208	1	3'-6"	7'-0"	1 3/4"	WD		F	8 1/4"	HM		1	45 MIN.	23.0	32/A9.3	32/A9.3	32/A9.3	32/A9.3	CARD READER
LEVEL 02	209	1	3'-0"	7'-0"	1 3/4"	WD	CFRG	N	5 3/4"	HM		1	45 MIN.	15.0	32/A9.3	32/A9.3	32/A9.3	32/A9.3	CARD READER
LEVEL 02	209A	1	4'-0"	7'-0"	1 3/4"	WD	CFRG	N	8 1/4"	HM		1	45 MIN.	16.0	32/A9.3	32/A9.3	32/A9.3	32/A9.3	CARD READER
LEVEL 02	210	1	3'-0"	7'-0"	1 3/4"	WD		F	5 3/4"	HM		1	18.0		31/A9.3	31/A9.3	31/A9.3	31/A9.3	CARD READER
LEVEL 02	211	1	3'-6"	7'-0"	1 3/4"	WD		F	5 3/4"	HM		1	23.0		31/A9.3	31/A9.3	31/A9.3	31/A9.3	CARD READER
LEVEL 02	212	1	3'-6"	7'-0"	1 3/4"	WD		F	5 3/4"	HM		1	23.0		31/A9.3	31/A9.3	31/A9.3	31/A9.3	CARD READER
LEVEL 02	213	ADD02	2	2'-0"	7'-0"	1 3/4"	HM		ADD02	1	24.0			31/A9.3	31/A9.3	31/A9.3	31/A9.3	COVERED	
LEVEL 02	215	ADD02	2	2'-0"	7'-0"	1 3/4"	HM		ADD02	1	24.0			31/A9.3	31/A9.3	31/A9.3	31/A9.3	COVERED	
LEVEL 02	216	2	3'-0"	7'-0"	1 3/4"	WD		F	5 3/4"	HM		2	45 MIN.	14.0	32/A10.2	52/A10.1	52/A10.1	52/A10.3	CARD READER
LEVEL 02	220	1	3'-0"	7'-0"	1 3/4"	WD		F	5 3/4"	HM		2	23.1		31/A9.3	31/A9.3	31/A9.3	31/A9.3	CARD READER
LEVEL 02	220A	1	3'-0"	7'-0"	1 3/4"	WD		F	5 3/4"	HM		2	23.1		31/A9.3	31/A9.3	31/A9.3	31/A9.3	CARD READER
LEVEL 02	220B	1	3'-0"	7'-0"	1 3/4"	WD		F	5 3/4"	HM		2	13.0		31/A9.3	31/A9.3	31/A9.3	31/A9.3	CARD READER
LEVEL 02	221	1	3'-0"	7'-0"	1 3/4"	WD		F	5 3/4"	HM	CFRG	2	45 MIN.	14.0	31/A9.3	31/A9.3	31/A9.3	31/A9.3	CARD READER
LEVEL 02	222	1	3'-0"	7'-0"	1 3/4"	WD		F	5 3/4"	HM	CFRG	2	45 MIN.	14.0	31/A9.3	31/A9.3	31/A9.3	31/A9.3	CARD READER
LEVEL 02	223	1	3'-0"	7'-0"	1 3/4"	WD		F	5 3/4"	HM	CFRG	2	45 MIN.	14.0	31/A9.3	31/A9.3	31/A9.3	31/A9.3	CARD READER
LEVEL 02	224	1	3'-0"	7'-0"	1 3/4"	WD		F	5 3/4"	HM	CFRG	2	45 MIN.	14.0	31/A9.3	31/A9.3	31/A9.3	31/A9.3	CARD READER
LEVEL 02	225	1	3'-0"	7'-0"	1 3/4"	WD		F	5 3/4"	HM		2	13.0		31/A9.3	31/A9.3	31/A9.3	31/A9.3	CARD READER
LEVEL 02	226	1	3'-0"	7'-0"	1 3/4"	WD	CTG	F	5 3/4"	HM		2	13.0		31/A9.3	31/A9.3	31/A9.3	31/A9.3	CARD READER
LEVEL 02	227	1	3'-0"	7'-0"	1 3/4"	WD	CTG	F	5 3/4"	HM		2	23.2		31/A9.3				



**NEW STEM FACILITY**

149 SE COLLEGE PL., LAKE CITY, FL 32025


**FLORIDA GATEWAY COLLEGE**

**BID DOCUMENTS**


36-17116-00  
12/11/2020  
Revisions  
ADD02: 1/05/2021

**INTERIOR DOOR & FRAME DETAILS**


**A9.3**




**S4** FIRE SHUTTER @ WALL TYPE S42X-1  
SCALE: 1/12" = 1'-0"




**S3** H.M. FRAME @ WALL TYPE S42-0 DBL EGRESS  
SCALE: 1/12" = 1'-0"




**S1** H.M. FRAME @ WALL TYPE S42-0  
SCALE: 1/12" = 1'-0"




**S2** H.M. FRAME @ WALL TYPE S#2X-1  
SCALE: 1/12" = 1'-0"




**S1** H.M. FRAME @ WALL TYPE S42-0 SP  
SCALE: 1/12" = 1'-0"




**12** DETAIL - TYP. MTL PANEL TRANSITION  
SCALE: 3" = 1'-0"




**13** DETAIL - STOREFRONT HEAD DETAIL @ WOOD CLAD WALL  
SCALE: 3" = 1'-0"




**14** DETAIL - TYP. STOREFRONT HEAD @ MTL PANEL  
SCALE: 3" = 1'-0"




**21** DETAIL - STOREFRONT HEAD/TRANSOM  
SCALE: 3" = 1'-0"




**22** DETAIL - TYP. MTL PANEL / CEMENT PLASTER TRANSITION  
SCALE: 3" = 1'-0"




**23** DETAIL - STOREFRONT SILL DETAIL @ WOOD CLAD WALL  
SCALE: 3" = 1'-0"




**24** DETAIL - TYP. STOREFRONT SILL @ MTL PANEL  
SCALE: 3" = 1'-0"




**31** SECTION DETAIL - TYP. EXTERIOR LOUVER HEAD & SILL  
SCALE: 3" = 1'-0"




**33** DETAIL - TYP. EXTERIOR HM DOOR HEAD  
SCALE: 3" = 1'-0"




**32** DETAIL - STOREFRONT SILL @ LEVEL 2  
SCALE: 3" = 1'-0"




**34** DETAIL - TYP. SF HEAD @ MTL/CEMENT PLASTER TRANSITION  
SCALE: 3" = 1'-0"




**42** DETAIL - STOREFRONT HEAD @ MTL PANEL  
SCALE: 3" = 1'-0"




**44** DETAIL - TYP. STOREFRONT SILL @ CEMENT PLASTER  
SCALE: 3" = 1'-0"




11 TYP CMU CONTROL JOINT (CJ) A10.5 SCALE: 1 1/2" = 1'-0"




12 TYP METAL STUD FRAMING AT DOOR OPENING NO SCALE




13 TYP GWB CONTROL JOINT ABOVE NO SCALE




14 SOUND WALL DETAIL A10.5 SCALE: 1 1/2" = 1'-0"




15 CONTROL JOINT AT CMU AND GYPSUM A10.5 SCALE: 1 1/2" = 1'-0"




16 FIRESTOP DETAIL @ RESTROOM ACCESSORY A10.5 SCALE: 1 1/2" = 1'-0"





17 CONDITION #1 CMU WALL PERPENDICULAR TO FLUTES




18 CONDITION #2 CMU WALL PARALLEL TO FLUTES




19 CONDITION #3 CMU WALL UNDER STRUCTURAL FRAMING MEMBER




23 STUD PARTITION CONTROL JOINT - SOUND WALL A10.5 SCALE: 3" = 1'-0"




24 ACUSTIC-TREATED PENETRATIONS AT SOUND WALLS A10.5 SCALE: 3" = 1'-0"




24 TYPICAL SOUND WALL INTERSECTION A10.5 SCALE: 1 1/2" = 1'-0"




33 GRAB BAR DETAIL A10.5 SCALE: 3" = 1'-0"



34 TYPICAL AT ROOF A10.5 SCALE: 3" = 1'-0"





34 TYPICAL AT UNDERSIDE OF FLOOR A10.5 SCALE: 3" = 1'-0"





35 FIRE EXTINGUISHER CABINET DETAIL A10.5 SCALE: 1 1/2" = 1'-0"

31 FLUTE CLOSURE @ CMU WALLS - NON-RATED A10.5 SCALE: 3" = 1'-0"





31 TYPICAL BLOCKING IN FRAME WALLS A10.5 SCALE: 1 1/2" = 1'-0"

32 ACUSTIC-TREATED PENETRATIONS AT SOUND WALLS A10.5 SCALE: 3" = 1'-0"





34 TYPICAL SOUND WALL DEFLECTION HEAD OF WALL JOINT A10.5 SCALE: 3" = 1'-0"

33 GRAB BAR DETAIL A10.5 SCALE: 3" = 1'-0"




34 TYPICAL SOUND WALL DEFLECTION HEAD OF WALL JOINT A10.5 SCALE: 3" = 1'-0"

34 TYPICAL AT ROOF A10.5 SCALE: 3" = 1'-0"




34 TYPICAL AT UNDERSIDE OF FLOOR A10.5 SCALE: 3" = 1'-0"

35 FIRE EXTINGUISHER CABINET DETAIL A10.5 SCALE: 1 1/2" = 1'-0"



45 CONTROL JOINT - 1HR WALL A10.5 SCALE: 3" = 1'-0"



NEW STEM FACILITY  
149 SE COLLEGE PL,  
LAKE CITY, FL 32025


FLORIDA GATEWAY COLLEGE

BID DOCUMENTS


36-17116-00  
12/11/2020  
Revised:  
ADD02: 1/05/2021

GENERAL BUILDING DETAILS


A10.5




**14 ELEVATION - BREAKROOM NORTH**  
A11.1 SCALE: 1/4" = 1'-0"




**15 ELEVATION - BREAKROOM EAST**  
A11.1 SCALE: 1/4" = 1'-0"




**24 UPPER CABINET ANCHORAGE AT TOP**  
A11.1 SCALE: 3" = 1'-0"




**35 TYP. BASE CABINET W/ UPPER**  
A11.1 SCALE: 1" = 1'-0"




**26 SECTION - STAIR COUNTER**  
A11.1 SCALE: 1 1/2" = 1'-0"




**36 ACCESSIBLE SINK CABINET**  
A11.1 SCALE: 1" = 1'-0"



**33 COUNTER LAV DETAIL - SOLID SURFACE**  
A11.1 SCALE: 1" = 1'-0"



**34 BASE CABINET ANCHORAGE AT TOP**  
A11.1 SCALE: 3" = 1'-0"



**32 ELEVATION - STAIR COUNTER**  
A11.1 SCALE: 1/4" = 1'-0"

**CASEWORK AND MILLWORK GENERAL NOTES**

- A. CASEWORK AND MILLWORK GENERAL NOTES APPLY TO ALL CASEWORK AND MILLWORK SHEETS.
- B. ELEVATIONS DENOTED AS MILLWORK ARE SPECIFIED UNDER DIVISION 06. OTHERS CONSIDERED CASEWORK SPECIFIED UNDER DIVISION 12, UNLESS NOTED OTHERWISE.
- C. BASE AND TALL STORAGE CABINETS: 24 INCHES DEEP, UNLESS NOTED OTHERWISE.
- D. WALL CABINETS: 14 INCHES DEEP, UNLESS NOTED OTHERWISE.
- E. TALL STORAGE UNITS TO BE 24 INCHES DEEP, UNLESS NOTED OTHERWISE.
- F. PROVIDE ADJUSTABLE SHELVING IN CASEWORK, UNLESS NOTED OTHERWISE.
- G. CATALOG NUMBERS SHOWN ON THE ELEVATIONS FOR CASEWORK ARE A/N REFERENCE NUMBERS, UNLESS NOTED OTHERWISE. (M) AFTER THE CATALOG NUMBER INDICATES THE CABINET IS SHOWN MODIFIED FROM STANDARD.
- H. WHERE ELECTRICAL DEVICES ARE LOCATED IN CASEWORK, CASEWORK CONTRACTOR SHALL PROVIDE FINISHED OPENINGS. COORDINATE LOCATION AND QUANTITY WITH ELECTRICAL CONTRACTOR.
- J. PROVIDE JOINT SEALANT AT PERIMETER JOINTS WHERE COUNTERTOPS, BACK AND SIDE SPLASHES, CASEWORK, AND MILLWORK ABUT WALLS.
- K. FIELD VERIFY DIMENSIONS OF CABINET LOCATIONS IN BUILDING PRIOR TO FABRICATION.
- L. PROVIDE LOCKS AT DOORS AND DRAWERS.
- M. PROVIDE FINISHED ENDS AT ALL EXPOSED ENDS OF CASEWORK AND MILLWORK.
- N. ALL EXPOSED SURFACES IN OPEN SHELVING SHALL BE PLASTIC LAMINATE COVERED.

**NEW STEM FACILITY**

149 SE COLLEGE PL., LAKE CITY, FL 32025

**FLORIDA GATEWAY COLLEGE**

**BID DOCUMENTS**

36-17116-00  
12/11/2020  
Revisions  
ADD02: 1052021

**CASEWORK ELEVATIONS**

**A11.1**




MATERIALS LIST - INTERIOR							
Material Number	Description	Manufacturer	Product	Color/Finish	Size	Flame Spread Index	Notes
03 30 00	CAST-IN-PLACE CONCRETE						
SC	SEALED CONCRETE	SHERWIN WILLIAMS	SHERCRETE	WHITE			PREMIUM QUALITY, LOW VOC
03 35 43	POLISHED CONCRETE FINISHING						
PC	POLISHED CONCRETE		AGGREGATE CLASS - A CREAM	GLOSS LEVEL - 2 SATIN			CLASS B AT PENETRATIONS - ACCEPTABLE
06 40 00	ARCHITECTURAL WOODWORK						
WD1	WOOD FINISH		EASED EDGE	MAPLE - STAIN TO MATCH ARCHITECTS SAMPLE		CLASS B - 35	MILLWORK WOOD FINISH
06 61 16	SOLID SURFACING						
SS-1	SOLID SURFACE	WILSONART	SOLID SURFACE	HOT STONE 9201 GS	1/2"	CLASS A - <25	EASED EDGE
08 80 00	GLAZING						
WF1	WINDOW FILM	3M	FASARA	MILKY WHITE			CLASS A - <25 SEE A9 SHEETS, DOOR & FRAME ELEVATIONS
09 30 00	TILING						
TL1	CERAMIC WALL TILE - WHITE	NAUTILUS	SOHO	WHITE MATTE	4" X 16"		GROUT: MAPEI TIMBERWOLF 104 - 3/16", STACK BOND
TL2	CERAMIC WALL TILE - GREY	NAUTILUS	SOHO	WARM GREY	4" X 16"		GROUT: MAPEI TIMBERWOLF 104 - 3/16", STACK BOND
09 51 13	ACOUSTICAL PANEL CEILINGS						
APC1	ACOUSTICAL CEILING	ROCKFON	PACIFIC	WHITE	24" X 24"	CLASS A - 0	CEILING TILE TYP. TEGULAR EDGE.
APC2	ACOUSTICAL CEILING VINYL COATED	ROCKFON	HYGIENIC PLUS	WHITE	24" X 24"	CLASS A - 0	RESTROOM CEILING TYP. SQUARE EDGE.
APC3	TECTUM PANELS	ARMSTRONG	TECTUM PANELS	WHITE	48" X 96" X 1"	CLASS A - <25	SEE PC FOR SIZE/MAPE D-22 MOUNTING ON 1X FURRING
09 54 00	SPECIALTY CEILINGS						
APCS	METAL VENEER CEILING	CEILINGS PLUS	MIRRA PLANX	SARANTE - S32E CP		CLASS A - <25	MATCH EXTERIOR SIMILAR WALL CLAD
09 65 00	RESILIENT FLOORING						
RB1	RESILIENT WALL BASE	JOHNSONITE	TRAD WALL BASE	20 CHARCOAL	4"	CLASS B - <575	WALL BASE TYP
RB2	RESILIENT WALL BASE	JOHNSONITE	TRAD WALL BASE	08 ICICLE	4"	CLASS B - <575	LAB WALL/CABINET BASE
RF1	RESILIENT SHEET FLOORING	ARMSTRONG	MEDINTECH PLUS	SILVER GRAY 84197	72" ROLL MIN.		LAB/BREAKROOM FLOORING. CONTINUOUS COVE BASE INSTALL WHERE NOTED AS FLOOR BASE.
09 67 16	EPOXY-MARBLE CHIP FLOORING						
EPXY1	EPOXY FLOORING	TNEMEC	DECO-FLECK	Z24-Q503 WHITE/GRAY/BLACK			CLEAR FINISH 284-0000 DECO-CLEAR TOP COAT
09 68 00	CARPET						
CPT1	GENERAL CARPET	INTERFACE	AERIAL AE315	CUSTOM 287918-002	10" X 40"		INSTALLATION: ASHLAR
CPT2	AERIAL ACCENT - GRAY	INTERFACE	AERIAL AE315	MUSHROOM - 105803	10" X 40"		INSTALLATION: ASHLAR
CPT3	ON LINE ACCENT - GREEN	INTERFACE	ON LINE	EMERALD - 105285	10" X 40"		INSTALLATION: ASHLAR
CPT4	HEXAGON CARPET - SMALL	INTERFACE	HONEY DO	FAWN 105672	20" X 20"		INSTALLATION: ASHLAR
CPT5	HEXAGON CARPET - LARGE	INTERFACE	HONEY DONT	FAWN 105689	20" X 20"		INSTALLATION: ASHLAR
CPT6	HEXAGON CARPET - PLUSH	INTERFACE	BEE'S KNEES	FAWN 105663	20" X 20"		INSTALLATION: SEE PLAN
CPT7	WALK-OFF CARPET	INTERFACE	STEP REPEAT - SR999	SABLE - 104920	20" X 20"		INSTALLATION: MONOLITHIC
09 72 00	WALLCOVERINGS						
WC2	DIGITALLY PRINTED VINYL WALLCOVERING	KOROSEAL	TYPE II DIGITAL SUBSTRATES	WHITE/FINE TEXTURE DS0103	52"-54"	CLASS A - <25	IMAGE FILE - TO BE SELECTED BY ARCHITECT AND OWNER
09 90 00	PAINTING						
PT1	WALL PAINT @ TYP WALLS	SHERWIN WILLIAMS		SW7011 NATURAL CHOICE			EGGSHELL FINISH
PT2	ACCENT PAINT - GRAY	SHERWIN WILLIAMS		SW7019 GAUNTLET GRAY			EGGSHELL FINISH
PT3	ACCENT PAINT - GREEN	SHERWIN WILLIAMS		SW8741 DERBYSHIRE			EGGSHELL FINISH
PT4	ACCENT PAINT - YELLOW	SHERWIN WILLIAMS		SW6669 YARROW			EGGSHELL FINISH
PT5	LAB WALL PAINT AND TYP. CEILING PAINT	SHERWIN WILLIAMS		SW7757 HIGH REFLECTIVE WHITE			SEMI-GLOSS FINISH
PT6	EPOXY WALL PAINT	SHERWIN WILLIAMS		SW7757 HIGH REFLECTIVE WHITE			SEMI-GLOSS FINISH
10 11 46	VISUAL DISPLAY FABRICS						
WC1	DRY ERASE WALLCOVERING	KOROSEAL	WALLTALKER PROJECT-RITE	WHITE	60"	CLASS A - <25	DRY ERASE AND PROJECTION, 8" MARKER TRAY ALUM FINISH, ALUM J-TRIM AT PTS WALLS
10 26 00	WALL AND DOOR PROTECTION						
CG1	CORNER GUARD	KOROGARD	VINYL CORNER GUARD G815	SIMPLY WHITE	1 1/2" X 1 1/2" X 48"		INSTALL ABOVE WALL BASE
CG2	CORNER GUARD	KOROGARD	VINYL CORNER GUARD G815	VAPOR	1 1/2" X 1 1/2" X 48"		INSTALL ABOVE WALL BASE
12 32 00	MANUFACTURED PLASTIC-LAMINATE CLAD CASEWORK						
PL1	HIGH PRESSURE PLASTIC LAMINATE	WILSONART		SLATE GREY - D91-60		CLASS B - 40	COUNTERTOPS
PL2	HIGH PRESSURE PLASTIC LAMINATE	WILSONART		FUSION MAPLE - 7909-60		CLASS B - 40	BASE CABINETS


NFPA 101A 8.5.7.4 ANY INTERIOR FINISH HAVING A FLAME SPREAD OF 75 OR LESS THAT IS PROTECTED BY AUTOMATIC FIRE SPRINKLERS IS EVALUATED AS HAVING A FLAME SPREAD OF MORE THAN 75 BUT NOT MORE THAN 200 THAT IS PROTECTED BY AUTOMATIC SPRINKLERS IS EVALUATED AS HAVING A FLAME SPREAD NOT EXCEEDING 75.

_ROOM FINISH SCHEDULE_										
NUMBER	WT/WT	FLOOR FINISH	BASE FINISH	NORTH	EAST	SOUTH	WEST	COMMENTS		
100	LOBBY	PC/CPT	RB1	PT1	PT1	PT1	PT1			
101	TRADITIONAL CLASSROOM	CPT1	RB1	PT5	PT5	PT5	PT5			
102	ELECTRICAL ROOM	SC	RB1	PT1	PT1	PT1	PT1			
103	RISER / DOW	SC	RB1	PT1	PT1	PT1	PT1			
105	CHEMISTRY ORGANIC LAB	RF1	RB2	PT5	PT5	PT5	PT5			
106	INSTRUMENTATION	RF1	RB2	PT5	PT5	PT5	PT5			
108	STORAGE / CHEM-PREP	RF1	RB2	PT5	PT5	PT5	PT5			
109	CHEMISTRY LAB	RF1	RB2	PT5	PT5	PT5	PT5			
110	STORAGE	SC	RB1	PT1	PT1	PT1	PT1			
111	MECHANICAL ROOM	SC	RB1	PT1	PT1	PT1	PT1			
112	MDF ROOM	SC	RB1	PT1	PT1	PT1	PT1			
113	BOILER ROOM	SC	RB1	PT1	PT1	PT1	PT1			
120	MULTI-PURPOSE ROOM	PC/CPT	RB1	PT1	PT1	PT1	PT1			
121	OFFICE	CPT2	RB1	PT1	PT2	PT1	PT2			
122	OFFICE	CPT2	RB1	PT1	PT2	PT1	PT2			
123	OFFICE	CPT2	RB1	PT1	PT2	PT1	PT2			
124	OFFICE	CPT2	RB1	PT1	PT2	PT1	PT2			
125	OFFICE	CPT2	RB1	PT1	PT2	PT1	PT2			
126	OFFICE	CPT2	RB1	PT1	PT2	PT1	PT2			
127	COLLABORATION	CPT3	RB1	PT1	PT3WC1	PT1	PT3WC1			
128	COLLABORATION	CPT3	RB1	PT1	PT3WC1	PT1	PT3WC1			
130	MEN'S RESTROOM	EPXY1	EPXY1	TL1	TL1	TL1	TL1			
131	JANITOR CLOSET	EPXY1	EPXY1	TL1	TL1	TL1	TL1			
132	MEN'S RESTROOM	EPXY1	EPXY1	TL1	TL1	TL1	TL1			
133	TRADITIONAL CLASSROOM	CPT1	RB1	PT1	PT3WC1	PT1	PT3WC1			
134	TRADITIONAL CLASSROOM	CPT1	RB1	PT1	PT3WC1	PT1	PT3WC1			
200	COLLABORATION	CPT3	RB1	PT1	PT3WC1	PT1	PT3WC1			
201	PHYSICS / ASTRONOMY / EARTH SCIENCE CLASSROOM	RF1	RB1	PT5	PT5	PT5	PT5			
202	STORAGE	PC	RB1	PT1	PT1	PT1	PT1			
203	ELEC.	SC	RB1	PT1	PT1	PT1	PT1			
204	STORAGE / PREP	RF1	RB2	PT5	PT5	PT5	PT5			
205	BIOLOGY / BOTANY LAB	RF1	RB2	PT5	PT5	PT5	PT5			
206	PREP	RF1	RB1	PT5	PT5	PT5	PT5			
207	GROWTH ROOM	RF1	RF1	PT6	PT6	PT6	PT6			
208	CELL CULTURE	RF1	RF1	PT6	PT6	PT6	PT6			
209	MICROBIOLOGY LAB	RF1	RF1	PT5	PT5	PT5	PT5			
210	IOF ROOM	PC	RB1	PT1	PT1	PT1	PT1			
211	AUTOCLAVE	EPXY1	EPXY1	PT6	PT6	PT6	PT6			
212	SUPPORT (GRAM)	RF1	RF1	PT5	PT5	PT5	PT5			
213	ICE MACHINE	PC	RB1	PT1	PT1	PT1	PT1			


_ROOM FINISH SCHEDULE_										
NUMBER	WT/WT	FLOOR FINISH	BASE FINISH	NORTH	EAST	SOUTH	WEST	COMMENTS		
214	COLD STORAGE	PC	RB1	PT1	PT1	PT1	PT1			
215	MECHANICAL ROOM	SC	RB1	PT1	PT1	PT1	PT1			
216	ICE ALCOVE									
220	ADMIN SUITE	CPT2	RB1	PT1	PT1	PT1	PT1			
220A	CONFERENCE ROOM	CPT2	RB1	PT1	PT1	PT1	PT1			
220B	DEAN'S OFFICE	CPT2	RB1	PT1	PT1	PT1	PT1			
221	OFFICE	CPT2	RB1	PT1	PT2	PT1	PT2			
222	OFFICE	CPT2	RB1	PT1	PT2	PT1	PT2			
223	OFFICE	CPT2	RB1	PT1	PT2	PT1	PT2			
224	OFFICE	CPT2	RB1	PT1	PT2	PT1	PT2			
225	OFFICE	CPT2	RB1	PT1	PT2	PT1	PT2			
226	OFFICE	CPT2	RB1	PT1	PT2	PT1	PT2			
227	BREAK ROOM	RF1	RB1	PT1	PT1	PT1	PT1			
230	WOMEN'S RESTROOM	EPXY1	EPXY1	TL1	TL1	TL1	TL1			
231	JANITOR CLOSET	EPXY1	EPXY1	TL1	TL1	TL1	TL1			
232	MEN'S RESTROOM	EPXY1	EPXY1	TL1	TL1	TL1	TL1			
233	TRADITIONAL CLASSROOM	CPT1	RB1	PT1	PT3WC1	PT1	PT3WC1			
234	TRADITIONAL CLASSROOM	CPT1	RB1	PT1	PT3WC1	PT1	PT3WC1			
C101	CIRCULATION	PC	RB1	PT1	PT1	PT1	PT1			
C201	CIRCULATION	PC	RB1	PT1	PT1	PT1	PT1			
E100	ELEVATOR	PC		STAINLESS	PL2	STAINLESS	PL2			
E200	ELEVATOR	PC		STAINLESS	PL2	STAINLESS	PL2			
S100	STAIR	PC								
S200	STAIR	PC								




34 FLOOR PATTERN - STUDY LEVEL 2 SCALE: 1/4" = 1'-0"




45 FLOOR PATTERN - STAIR SCALE: 1/4" = 1'-0"




43 WALL TILE/EDGE PROTECTION PLAN SECTION SCALE: 3" = 1'-0"



33 TRANSITION - CONCRETE TO RESINOUS / RESILIENT FLOORING SCALE: 3" = 1'-0"



42 TRANSITION - CONCRETE TO CARPET SCALE: 3" = 1'-0"



41 RESINOUS FLOORING COVE - TYP SCALE: 3" = 1'-0"

**ROOM FINISH SCHEDULE GENERAL NOTES**

- ROOM FINISH SCHEDULE GENERAL NOTES APPLY TO ALL ROOM FINISH SCHEDULE SHEETS.
- SEE SPECIFICATIONS FOR PAINTING OF ITEMS NOT NOTED IN THE ROOM FINISH SCHEDULE.
- EXPOSED CONCRETE FLOOR SLABS NOT SCHEDULED TO RECEIVE A FINISH SHALL RECEIVE A CURING AND SEALING COMPOUND UNLESS OTHERWISE NOTED.
- ALL GYPSUM WALLBOARD BULKHEADS SHALL BE PAINTED PT1 UNLESS OTHERWISE NOTED.
- CEILING HEIGHTS, AS NOTED ON THE REFLECTED CEILING PLANS ARE MEASURED FROM THE FINISH FLOOR OF THE ROOM.
- SEE REFLECTED CEILING PLANS FOR CEILING TYPES AND HEIGHT.
- CONTRACTOR SHALL FURRING AND INSTALL WALL BASE AROUND CASEWORK AND MILLWORK.
- WHERE FLOOR FINISH CHANGES FROM ONE ROOM TO ANOTHER, SET JOINT OF THE MATERIALS AT THE CENTER OF THE COMMUNICATING DOOR.
- SEE SHEET A111 FOR TYPICAL MILLWORK FINISHES.
- PAINT ALL HOLLOW METAL DOOR FRAMES PT2, U.N.O.
- PAINT ALL HOLLOW METAL DOOR PANELS TO MATCH ADJ. WALL COLOR.
- SEE ROOM FINISH SCHEDULE COMMENTS FOR EXPOSED STRUCTURE PAINT COLOR.
- ALL WALK-OFF CARPETS AND VISUAL DISPLAY FABRICS REQUIRE LEVEL 5 FINISH ON GWS SUBSTRATE.
- FINISH PLANS OVERRIDE FINISH SCHEDULE FOR MATERIAL FINISH DESIGNATION AND LOCATION.

**ROOM FINISH SCHEDULE SPECIFIC NOTES**  
(these notes are referenced in the "notes" column of the room finish schedules)

**FLOORING NOTES:**

- SEE CARPET PATTERNS FOR EXACT CARPET TYPES AND SCOPE.

**ELEVATOR NOTES:**

- PROVIDE STAINLESS STEEL REAR AND FRONT PANELS, LAMINATE SIDE PANELS, POLISHED CONCRETE FLOORING.

**WALL NOTES:**

- PAINT JANITOR'S CLOSET WALLS BUT NOT INSIDE CHASE AREA.
- PAINT EXPOSED STEEL COLLUMNS AND CROSS BRACING PT2 IN SEMI-GLOSS TO UNDERSIDE OF DECK. REFER TO SPEC FOR FIRE-RESISTANT COATING REQUIREMENTS OF COLLUMNS DENOTED AS RATED.
- PROVIDE PLYWOOD BACKBOARD WHERE INDICATED ON SPECIAL SYSTEMS PLANS. PLYWOOD TO BE 4-8" 3/4" THICK, INTERIOR-GRADE, FIRE-RETARDANT-TREATED AND PAINTED PT5. MOUNT 4" A.F.F.

**CEILING NOTES:**

- SEE REFLECTED CEILING PLANS FOR CEILING ACCENT PAINT COLORS AND LOCATIONS.
- PAINT EXPOSED STEEL DECK AND STRUCTURE. PT1.

**MISCELLANEOUS ITEMS:**

- PAINT HANDRAILS PT2, U.N.O.

**FLOOR FINISH LEGEND**

- CPT1
- CPT2
- CPT3
- CPT4
- CPT5
- CPT7
- RF1
- EPXY1
- PC
- SC

NEW STEM FACILITY  
149 SE COLLEGE PL., LAKE CITY, FL 32025

FLORIDA GATEWAY COLLEGE

BID DOCUMENTS

36-17116-00  
12/11/2020  
Revised:  
ADD02: 1/05/2021

FINISH SCHEDULE

A12.0